

## What is VIRATTACK?

VIRATTACK is a peroxide-based Hospital Grade Disinfectant which kills germs and is also active against viruses including SARS-CoV-2 (COVID-19 virus), Herpes simplex and Canine Parvovirus. It can be used to clean and disinfect all hard surfaces.

### Key Benefits

- ✓ VIRATTACK kills germs
- ✓ VIRATTACK kills viruses
- ✓ Hydrogen peroxide breaks down to oxygen and water
- ✓ Dilutes to 1:16 for hospital-grade disinfection
- ✓ Fragrance free and completely odourless
- ✓ Powerful cleaning action

## How Does It Work?

VIRATTACK is a Hospital Grade Disinfectant with premium surfactants and hydrogen peroxide which provide a powerful cleaning action that leaves surfaces clean and disinfected.

### For Use On...

VIRATTACK is designed to be diluted with water and used to clean and disinfect hard surfaces. Ideal for hospitals, nursing homes, schools, animal facilities and more. Do not use on acid sensitive surfaces such as brass, copper, marble, and terrazzo.

## Technical Data

### Composition

VIRATTACK is formulated with premium surfactants to attack and disperse soilage matter. The active ingredient of VIRATTACK is hydrogen peroxide which kills bacteria and viruses.

### Properties



COLOUR – Clear colourless liquid

ODOUR – None

pH = 0.8 - 1.8

FOAM – Moderate to high foaming action

DISINFECTANT POWER – Hospital Grade and general virucidal disinfectant at 1 in 16 dilution under dirty conditions.

## Microbiological Testing

VIRATTACK has passed the following tests:

1. TGA Test for Hospital Grade Disinfectants under 'dirty' conditions (Option B) at a dilution of 1:16 against *Escherichia coli*, *Proteus vulgaris*, *Pseudomonas aeruginosa* and *Staphylococcus aureus*.

2. ASTM International Standard Test Method E1053 Assessment of the Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces at a dilution of 1 in 16 against Coronavirus, Herpes simplex virus and Canine Parvovirus.

3. AOAC Hard Surface Carrier Test 991.47, 48, 49 (modified) at a dilution of 1 in 16 against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis*.

## Environmental Care



VIRATTACK conforms with all statutory environmental requirements. It is based on safe, biodegradable ingredients selected to perform efficiently so there is no waste or damage. VIRATTACK is non-flammable. VIRATTACK containers will be cleaned and reused if returned to Agar Cleaning Systems, significantly reducing plastic usage and waste. They can also be recycled.

## Quality

The design, manufacture and supply of all Agar chemical products is controlled by the Agar Quality Management System which is registered and externally audited by SAI Global as complying with the requirements of AS/NZS ISO 9001 "Quality Management Systems – Requirements".

First Certified: 30 April 1996

SAI Certificate No.: QEC7358

(Continued page 2)

Agar Cleaning Systems maintains Safety Data Sheets (SDS) on all of its products. These sheets contain information that you may need to protect your employees and customers against health or safety hazards associated with our product. Agar Cleaning Systems recommends that you obtain a copy of the respective SDS sheet prior to using this product. The information in the Product Data Sheet is based on data we believe to be reliable. It is offered in good faith, but without guarantee, as conditions and methods of use of our product are beyond our control.

## Application

- **SARS-CoV-2 (Covid-19) Disinfection and Cleaning:**  
Dilute VIRATTACK to 1 in 16 (62.5mls per litre).  
Apply VIRATTACK solution to the surface and leave wet for 2 minutes. Wipe or rinse surface and allow to air dry. Rinse all food contact surfaces with potable water.
- **For General Virucidal Disinfection and Cleaning**  
Dilute VIRATTACK to 1 in 16 (62.5ml per litre).  
Apply VIRATTACK solution to the surface and leave wet for 5 minutes. Wipe or rinse surface and allow to air dry. Rinse all food contact surfaces with potable water.
- **For Hospital Grade Disinfection and Cleaning:**  
Dilute VIRATTACK to 1 in 16 (62.5mls per litre).  
Apply VIRATTACK solution to the surface and leave wet for a few minutes to sanitise. Wipe or rinse surface and allow to air dry. Rinse all food contact surfaces with potable water.
- Prepare fresh solutions as needed.
- Hydrogen peroxide loses its effectiveness quickly in the presence of oil, dirt and organic material. Change the solution as soon as it looks dirty.
- Do not mix with detergent or other chemicals.
- Not recommended for acid sensitive surfaces, such as brass, copper, marble or terrazzo.
- VIRATTACK is not for use on medical devices or other therapeutic goods.
- It is not to be used on skin.

1. Do not top-up part-full bottles with new solutions. Use up all of the solution first.
  2. Do not add anything else to the bottles.
  3. Empty bottles should be washed and dried before re-filling.
  4. Discard solution if any contamination is visible.
  5. Solutions should be discarded when visibly soiled or at the end of each shift.
- Observe the Use By Date printed on the label. Rotated stock properly so that the older product is used before newer stock

Store below 25°C

Shelf life: 12 months

Available in: 5L, 20L

### Dispensing Accessories:

500ml Spray Bottle – Code D5V

Trigger for 500ml bottle Plain, Blue/White – Code DTR

Hand Pump for 5L Bottle (30ml/Stroke) – Code DHP30

Hand Pump for 20L Drum (30ml/Stroke) – Code DHP20

Tap in Cap 5L – Code DTC5

20L Drum Tap – Code DTAP

## Storage Information

Diluted solutions,

Agar Cleaning Systems maintains Safety Data Sheets (SDS) on all of its products. These sheets contain information that you may need to protect your employees and customers against health or safety hazards associated with our product. Agar Cleaning Systems recommends that you obtain a copy of the respective SDS sheet prior to using this product. The information in the Product Data Sheet is based on data we believe to be reliable. It is offered in good faith, but without guarantee, as conditions and methods of use of our product are beyond our control.